

Technical Data Sheet

Page 1 of 1

Properties:

AKEMI® Spider Clear is a fast-hardening product made of highly efficient waxes and synthetic resins, dissolved in hydrocarbons. It hides and darkens spider veins and micro fissures, gives a brilliant polish along with a strong color intensification. The surface becomes water-repellent.

Application Area:

AKEMI® Spider Clear can be applied indoors on fine ground or polished natural and artificial stone, e.g. marble, granite, slate, terrazzo, travertine. Due to the clear color excellent result are achieved on bright stone. For dark or black stone we recommend AKEMI® Spider Black.

Instructions for Use:

- 1. Clean the surface thoroughly with AKEMI® Stone Cleaner. It must be clean and absolutely dry before use. Ideal temperature for application is 59 77°F.
- 2. Apply a thin layer with a cloth or brush, for larger areas apply with a mop.
- 3. Repeat application on very absorbent, non-polished surfaces.
- 4. The ideal moment for polishing has come when surfaces show a matt appearance. Re-polish surfaces with a soft cloth or a white nylon pad and a floor polishing machine.
- 5. For regular cleaning use AKEMI® Mild Stone Soap or Crystal Clean.

Special Notes:

- Objects in the working area which are not resistant to solvents, s.a. various synthetic materials, rubber, lacquered areas, must be protected.
- At temperatures below 50°F the product becomes viscous, below 32°F it becomes almost solid.
- Storage at a temperature of 68°F will render it ready to be worked again.
- Apply the product in a thin layer only, otherwise the surface will not take a good polish.
- To remove AKEMI[®] Spider Clear we recommend to use AKEMI[®] Wax Stripper.
- For proper waste disposal, the container must be completely emptied.

Technical Data: Coverage: approx. 15 - 30 m²/liter

Color: clear

Density: approx. 0.78 g/cm³

Storage: If stored in dry and cool condition (41 - 77°F) in its closed original

container at least 24 months from production.

Health & Safety: Read Safety Data Sheet before handling or using this product.

Important Notice: The above information is based on the latest stage of development and

application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample

piece.