



MB-23 Easy Oxy

SAFETY DATA SHEET

MBStoneCare.Com

Section I: Product & Company Identification

Product Name: MB-23 Easy Oxy
Product Use: General purpose non-toxic spray cleaner
Company Name: MB Stone Care & Supply, LLC.
Address: 14 W. Saddle River Rd.
Waldwick, NJ. 07463
Phone: (888)509-5831
Emergency Phone: CHEMTREC 1-800-255-3924 CCN 721849

Section II: Hazardous Component Identification

<u>CHEMICAL NAME:</u>	<u>CAS NO.</u>	<u>TVL</u>	<u>OSHA/PEL</u>
None Reportable	N/A	N/A	N/A

Section III: Composition

Specific chemical identity and percentage content withheld as trade secret pursuant to OSHA guidelines

Section IV: Physical Information

<u>NAME</u>	<u>BOILING POINT</u>	<u>VAPOR PRESSURE (mm Hg)</u>	<u>VAPOR DENSITY (Air = 1)</u>	<u>EVAPORATION RATE</u>
	>212°F	<17	>1	>1
	<u>SPECIFIC GRAVITY</u>	<u>Ph</u>	<u>SOLUBILITY IN WATER</u>	<u>APPEARANCE AND ODOR</u>
Easy Oxy	1	5-6 (non-etching)	Soluble	Clear liquid with citrus scent

Section V: First Aid

EYE CONTACT: If eyes are contacted, flush with water for 15 minutes. If irritation persists, seek medical attention.

SKIN CONTACT: If skin is contacted, wash with soap and water. If irritation persists, seek medical attention.

INGESTION: If ingested, do NOT induce vomiting. Give moderate amounts of water to wash out mouth area and dilute remaining residue. Seek medical attention.

INHALATION: If discomfort is experienced after prolonged exposure to mists/vapors, remove to fresh air. If breathing is difficult, give oxygen and seek medical attention.

Section VI: Fire & Explosion Hazard Data

FLASH POINT: >212°F

FLAMMABLE LIMITS: No Data

EXTINGUISHING MEDIA: Water, spray foam, carbon dioxide, dry chemical

SPECIAL FIREFIGHTING PROCEDURES: Firefighters should wear a positive pressure NIOSH approved self-contained breathing apparatus.

UNUSUAL FIRE & EXPLOSION HAZARDS: Containers exposed to heat from fires should be cooled with water fog to prevent container rupture.

Section VII: Accidental Spill Procedures:

SMALL SPILLS: Mop up spills and rinse area

LARGE SPILLS (55 gallons or more): Wear rubber boots, gloves and appropriate protective clothing. Shut off source of leak if safe to do so. Dike and contain spill.

Section VIII: Handling & Storage

Keep out of reach of children. Store in a cool, dry place.

Section IX: Personal Protection & Exposure Control

RESPIRATORY PROTECTION: Not required when used according to directions

VENTILATION: Local exhaust

PROTECTIVE CLOTHING: Rubber gloves

EYE PROTECTION: Chemical splash goggles

Section X: Reactivity

STABILITY: Stable

CONDITIONS TO AVOID: Strong oxidizers, acids

INCOMPATIBILITY: Heat

HAZARDOUS, COMBUSTABLE, OR DECOMPOSITION PRODUCTS: Carbon, sulfur and nitrogen products

Section XI: Toxicology

No toxicology information is available

Section XII: Ecological Information

No data available.

Section XIII Disposal Procedures

Dispose of in accordance with state and federal regulations.

Section XIV: Transport Information

SHIPPING: Non-hazardous cleaning solution

CLASS RATE: N/A

Section XV: Regulatory Information

PROPOSITION 65: Not listed

Section XVI: Miscellaneous Information

MSDS last updated: February 5th, 2015

The information contained on the Material Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. MB Stone Care & Supply, LLC. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application.