

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Everclear 505 Komponente A**

· Article number: 11500, 11487_A

· UFI: AVU4-F0GJ-F00U-2FAG

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Product category PC1 Adhesives, sealants

· Application of the substance / the mixture Polyurethane resin

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH
Lechstrasse 28
D 90451 Nürnberg

Tel. +49(0)911-642960
Fax. +49(0)911-644456
e-mail info@akemi.de

· Further information obtainable

from: Laboratory

· 1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.

* SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

· Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

· Signal word

Warning

· Hazard-determining components of labelling:

tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate
diethyl fumarate

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl
1,2,2,6,6-pentamethyl-4-piperidyl sebacate
poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-
hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-
4-hydroxyphenyl]-1-oxopropoxy]-

· Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

(Contd. on page 2)
EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 1)

P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT:	Not applicable.
vPvB:	Not applicable.
Determination of endocrine-disrupting properties	For information on endocrine disrupting properties see section 11.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 136210-30-5 ELINCS: 429-270-1 Index number: 607-521-00-8 Reg.nr.: 01-0000017556-64-0000	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate Skin Sens. 1, H317 Aquatic Chronic 3, H412	50-100%
CAS: 623-91-6 EINECS: 210-819-7	diethyl fumarate Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	1-5%
CAS: 104810-47-1 ELINCS: 400-830-7 Index number: 607-176-00-3 Reg.nr.: 01-2119396032-43 01-0000015075-76-xxxx	poly(oxy-1,2-ethanediyl), α -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]- ω -[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]- Aquatic Chronic 2, H411 Skin Sens. 1, H317	<1%
CAS: 1065336-91-5 EC number: 915-687-0 Reg.nr.: 01-2119491304-40	Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Repr. 2, H361f Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317	<1%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information:	Immediately remove any clothing soiled by the product.
After inhalation:	Supply fresh air and to be sure call for a doctor.
	In case of unconsciousness place patient stably in side position for transportation.
After skin contact:	Immediately wash with water and soap and rinse thoroughly.
After eye contact:	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:	Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed	No further relevant information available.

(Contd. on page 3)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 2)

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents:

Water with full jet

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO_x)

Hydrogen cyanide (HCN)

· 5.3 Advice for firefighters

· Protective equipment:

· Additional information:

Wear self-contained respiratory protective device.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Store in a cool location.

· Requirements to be met by storerooms and receptacles:

Not required.

· Information about storage in one common storage facility:

Protect from frost.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· Storage class:

12

(Contd. on page 4)

EU

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

· **7.3 Specific end use(s)** No further relevant information available.

(Contd. of page 3)

*** SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Oral	DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	1.4 mg/kg bw/day (BEV) 4 mg/kg bw/day (ARB) 1.4 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	1.4 mg/kg bw/day (BEV) 4 mg/kg bw/day (ARB) 1.4 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	112 mg/m ³ Air (ARB) 4.8 mg/m ³ Air (BEV) 28 mg/m ³ Air (ARB) 4.8 mg/m ³ Air (BEV)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H- benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

Oral	DNEL (Langzeit-wiederholt)	0.025 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	0.5 mg/kg bw/day (ARB) 0.25 mg/kg bw/day (BEV)
Inhalative	DNEL (Langzeit-wiederholt)	0.35 mg/m ³ Air (ARB) 0.085 mg/m ³ Air (BEV)

1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Oral	DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	1.25 mg/kg bw/day (BEV) 0.18 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	2.5 mg/kg bw/day (ARB) 1.25 mg/kg bw/day (BEV) 1.8 mg/kg bw/day (ARB) 0.9 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut) DNEL (Langzeit-wiederholt)	2.35 mg/m ³ Air (ARB) 0.58 mg/m ³ Air (BEV) 1.27 mg/m ³ Air (ARB) 0.31 mg/m ³ Air (BEV)

· PNECs

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

PNEC (wässrig)	31.1 mg/l (KA) 0.000013 mg/l (MW) 0.00013 mg/l (SW)
PNEC (fest)	0.1 mg/kg Trockengew (BO)

(Contd. on page 5)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 4)

	0.02 mg/kg Trockengew (MWS) 0.21 mg/kg Trockengew (SWS)
104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-	
PNEC (wässrig)	10 mg/l (KA) 0.00023 mg/l (MW) 0.0023 mg/l (SW) 0.028 mg/l (WAS)
PNEC (fest)	2 mg/kg Trockengew (BO) 0.337 mg/kg Trockengew (MWS) 3.37 mg/kg Trockengew (SWS)
1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	
PNEC (wässrig)	1 mg/l (KA) 0.00022 mg/l (MW) 0.0022 mg/l (SW) 0.009 mg/l (WAS)
PNEC (fest)	0.21 mg/kg Trockengew (BO) 0.11 mg/kg Trockengew (MWS) 1.05 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A/P2

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for

(Contd. on page 6)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 5)

detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

Protective work clothing

· Material of gloves· Penetration time of glove material· Eye/face protection· Body protection:**SECTION 9: Physical and chemical properties****· 9.1 Information on basic physical and chemical properties**· General Information· Colour:

Colourless

· Odour:

Weak, characteristic

· Odour threshold:

Not determined.

· Melting point/freezing point:

Undetermined.

· Boiling point or initial boiling point and boiling range

Undetermined.

· Flammability

Not applicable.

· Lower and upper explosion limit

Not determined.

· Lower:

Not determined.

· Upper:

Not applicable.

· Flash point:

Not applicable.

· Decomposition temperature:

Not determined.

· pH

Not determined.

· Viscosity:

Not determined.

· Kinematic viscosity

480 mPas

· Dynamic at 20 °C:· Solubility

Not miscible or difficult to mix.

· water:

Not determined.

· Partition coefficient n-octanol/water (log value)

Not determined.

· Vapour pressure:

Not determined.

· Density and/or relative density

Not determined.

· Density at 20 °C:

1.07 g/cm³

· Relative density

Not determined.

· Vapour density

Not determined.

· 9.2 Other information· Appearance:

No further relevant information available.

· Form:

Fluid

· Important information on protection of health and environment, and on safety.

Product is not selfigniting.

· Ignition temperature:

Product does not present an explosion hazard.

· Explosive properties:· Solvent content:

0.7 %

· Organic solvents:

(Contd. on page 7)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 6)

· <u>Change in condition</u>	
· <u>Evaporation rate</u>	Not determined.
· <u>Information with regard to physical hazard classes</u>	
· <u>Explosives</u>	Void
· <u>Flammable gases</u>	Void
· <u>Aerosols</u>	Void
· <u>Oxidising gases</u>	Void
· <u>Gases under pressure</u>	Void
· <u>Flammable liquids</u>	Void
· <u>Flammable solids</u>	Void
· <u>Self-reactive substances and mixtures</u>	Void
· <u>Pyrophoric liquids</u>	Void
· <u>Pyrophoric solids</u>	Void
· <u>Self-heating substances and mixtures</u>	Void
· <u>Substances and mixtures, which emit flammable gases in contact with water</u>	Void
· <u>Oxidising liquids</u>	Void
· <u>Oxidising solids</u>	Void
· <u>Organic peroxides</u>	Void
· <u>Corrosive to metals</u>	Void
· <u>Desensitised explosives</u>	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
· 10.2 Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· 10.3 Possibility of hazardous reactions	No dangerous reactions known.
· 10.4 Conditions to avoid	No further relevant information available.
· 10.5 Incompatible materials:	No further relevant information available.
· 10.6 Hazardous decomposition products:	No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
· <u>Acute toxicity</u>	Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:
ATE (Acute Toxicity Estimates)

Oral	LD50	60,817 mg/kg (rat)
------	------	--------------------

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Oral	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.1.)
Dermal	LD50	>2,000 mg/kg (rat) (Richtlinie 67/548/EWG, Anhang V, B.3.)
Inhalative	LC50/4h	>4,224 mg/m ³ (rat) (OECD-Prüfrichtlinie 403)

623-91-6 diethyl fumarate

Oral	LD50	1,780 mg/kg (rat)
------	------	-------------------

(Contd. on page 8)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 7)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-		
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)
1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate		
Oral	LD50	3,230 mg/kg (rat)
Dermal	LD50	>3,170 mg/kg (rat)

- Primary irritant effect: Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation May cause an allergic skin reaction.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

- Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

List II

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity:

136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

EC50	3,110 mg/l (BES) (ISO Vorschrift 8192-1986 E)
IC50/72h	113 mg/l (Scenedesmus subspicatus) (Richtlinie 67/548/EWG, Anhang V, C.3.)
EC50/48h	88.6 mg/l (daphnia magna) (UBA-Verfahrensvorschlag Mai 1984)
ErC50/72h	113 mg/l (Scenedesmus subspicatus)
NOEC	100 mg/kg (Ac) (OECD 208) 100 mg/kg (As) (OECD 208) 100 mg/kg (Bn) (OECD 208) ≥1,000 mg/kg (Eisenia fetida (Regenwürmer)) (OECD-Prüfrichtlinie 207)
NOEC/21d	0.01 mg/l (daphnia magna) (Richtlinie 67/548/EWG, Anhang V, C.20.)
LC50/96h	66 mg/l (Danio rerio.) (OECD 203)

104810-47-1 poly(oxy-1,2-ethanediyl), α-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]-

EC50	>1,000 mg/l (BES) (OECD 209)
EC50/48h	4 mg/l (daphnia magna)
LC 0	>1,000 mg/l (Eisenia fetida (Regenwürmer))
NOEC	100 mg/kg (Eisenia fetida (Regenwürmer))
NOEC/21d	0.78 mg/l (daphnia magna) (OECD 202)
EC10	10 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC50/72h	>100 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

(Contd. on page 9)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 8)

LC50/96h	2.8 mg/l (Oncorhynchus mykiss) (OECD 203; ISO 7346; 84/449/EWG, C.1)
1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	
EC50/24h	20 mg/l (daphnia magna)
EC20/3h	≥100 mg/l (BES)
LL0/96h	0.9 mg/l (Zebrafärbbling)
NOEC/21d	1 mg/l (daphnia magna)
EC50/72h	1.68 mg/l (Desmodesmus subspicatus)
LC50/96h	0.9 mg/l (Brachydanio rerio) 7.9 mg/l (Oncorhynchus mykiss)

· 12.2 Persistence and degradability	Not easily biodegradable
· 12.3 Bioaccumulative potential	Non significant accumulation in organisms
· 12.4 Mobility in soil	No further relevant information available.
· 12.5 Results of PBT and vPvB assessment	
· PBT:	Not applicable.
· vPvB:	Not applicable.
· 12.6 Endocrine disrupting properties	For information on endocrine disrupting properties see section 11.
· 12.7 Other adverse effects	No further relevant information available.
· Remark:	Harmful to fish
· Additional ecological information:	
· General notes:	Harmful to aquatic organisms Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods	
· Recommendation:	Must not be disposed together with household garbage. Do not allow product to reach sewage system.
· Uncleaned packaging:	
· Recommendation:	Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No

(Contd. on page 10)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

(Contd. of page 9)

· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

*** SECTION 15: Regulatory information****· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I

None of the ingredients is listed.

· REGULATION (EC) No 1907/2006

ANNEX XVII

Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:· Information about limitation of use: Employment restrictions concerning juveniles must be observed.· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 7.9 g/l· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.*** SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Department issuing SDS: Laboratory· Date of previous version: 06.11.2023· Version number of previous version: 3

(Contd. on page 11)

EU

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2025

Version number 4 (replaces version 3)

Revision: 15.08.2025

Trade name: Everclear 505 Komponente A

Abbreviations and acronyms:

(Contd. of page 10)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Repr. 2: Reproductive toxicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EU